

## NOTES:

752.52 GPM

- 1. ADA Compliant: No thru openings greater than ½".
- 2. Pieces per Set: 4
- 3. Due to casting inconsistencies, all dimensions are nominal.
- 4. Center Opening Options: Cut at 12", Breakouts at 16", 18", 20" & 24".
- 5. Pedestrian Load Only.

Made in USA ©2010 Iron Age Designs 574.44 in/sq. or 16.71 % By: RJ Checked: MS **Date:** 5-25-23

© Registration: VA 2-345-020 | Scale:



Raw www.ironagegrates.com

Iron Age Custom Frame SOLD SEPARATELY

**Product ID:** EXX60-60199

265.68

1.250"

lbs.

Weight:

Edge:

Drawing Name:

Free Drain Area:

Flow Rate:


02\_EXP\_I\_60x60\_TreeGrate\_Comp\_12Open

Page 1


NTS

## TOP VIEW scale 1:8 12.00" Opening 1/4"-20 (3x) Pan Head STD-Bolt 14.961" (x3) ISO-VIEW scale 1:12 29.922" Sq. scale 1:8 1.250" **EDGE** 0.375" NOTES: 1. ADA Compliant: No thru openings greater than ½". 2. Due to casting inconsistencies, all dimensions are nominal. **Explora 5' x 5' Tree Grate - Left Panel** 3. Pedestrian Load Only. Made in USA ©2010 Iron Age Designs Material: Ductile Iron 65-45-12 Weight: 66.42 lbs. Free Drain Area: 143.61 in/sq. or 16.71 % By: Checked: MS Date: 5-25-23

1.250" Flow Rate: 188.13 GPM © Registration: VA 2-345-020 Scale: NTS Raw Edge: DESIGNS Iron Age Custom Frame Product ID: 206.276.0925 Fits: Drawing Name: 02 EXP I 60x60 TreeGrate LH 12open Telephone **SOLD SEPARATELY** EXX60-60199L Page 2 www.ironagegrates.com



ISO-VIEW scale 1:12



## NOTES:

- 1. ADA Compliant: No thru openings greater than  $\frac{1}{2}$ ".
- 2. Due to casting inconsistencies, all dimensions are nominal.

©2010 Iron Age Designs

3. Pedestrian Load Only.

Made in USA

' Ľ	Material: Grey Iron CL 30 or better	Weight:	66.53 lbs.	Free Drain Area:	143.61	in/sq. or 16.71 %	By: RJ	Checked: MS	Date:	5-25-23
I Č	Finish: Raw	Edge:	1.250"	Flow Rate:	188.13	GPM	© Registration:	VA 2-345-020	Scale:	NTS

Telephone 206.276.0925 Fits: Iron Age Custom Frame SOLD SEPARATELY

Product ID:
EXX60-60199R

Drawing Name: 02\_EXP\_I\_60x60\_TreeGrate\_RH\_12open

Page 3