


TOP VIEW
scale 1:19



Oblio 8"x 8" Tree Grate Heel Proof - 12pc. Set

NOTES:


1. Heelproof: No thru openings greater than ¼".
2. Pieces per Set:12
3. Due to casting inconsistencies, all dimensions are nominal.
4. Center Opening Options:
Cast at 12" & 28", Breakouts at 14", 16", 18" & 20".
5. Pedestrian Load Only.

Made in USA


©2023 Iron Age Designs

 IRON AGE DESIGNS Telephone 206.276.0925 www.ironagegrates.com	Material: Ductil Iron 65-45-12 or better	Weight: 1142.16 lbs.	Free Drain Area: 803.17 in/sq. or 9.38 %	By: RJ	Checked: MS	Date: 6-5-25
	Finish: Raw	Edge: 1.25"	Flow Rate: 1052.15 GPM	© Registration: Pending		Scale: NTS
	Fits: Iron Age Custom Frame SOLD SEPARATELY	Product ID: N/A	Drawing Name: 01_OBL_I_96x96HP_TreeGrate_Iron			

TOP VIEW
scale 1:18




CASTING-ID
scale 1:2




1/4"-20 (8x)
Pan Head
STD-Bolt

ISO-VIEW
scale 1:22



SIDE VIEW
scale 1:18



NOTES:

1. Heelproof: No thru openings greater than 1/4".
2. Pieces per Set: 4
3. Due to casting inconsistencies, all dimensions are nominal.
4. Center Opening Options:
Cast at 12" & 28", Breakouts at 14", 16", 18" & 20".
5. Pedestrian Load Only.

Made in USA

©2007 Iron Age Designs

Oblio 6' x 6' Tree Grate Heel Proof




**IRON AGE
DESIGNS**

Telephone 206.276.0925
www.ironagegrates.com


Material: Grey Iron CL 35 or better	Weight: 614.12 lbs.	Free Drain Area: 431.09 in/sq. or 8.54 %	By: MS	Checked: MS	Date: 2-21-23
Finish: Raw	Edge: 1.250"	Flow Rate: 565.14 GPM	© Registration: VA 2-112-772		Scale: NTS
Fits: Iron Age Custom Frame SOLD SEPARATELY	Product ID: OX72-72I99TGHP	Drawing Name: 01_OBL_I_72x72HP_TreeGrate			

Page 1


TOP VIEW
scale 1:8



SIDE VIEW
scale 1:8



CASTING-ID
scale 1:2



ISO-VIEW
scale 1:12



NOTES:

1. Heelproof: No thru openings greater than ¼".
2. Due to casting inconsistencies, all dimensions are nominal.
3. Pedestrian Load Only.

Made in USA



©2007 Iron Age Designs

Oblio 6' x 6' Tree Grate Heel Proof - Quarter Panel

 IRON AGE DESIGNS Telephone 206.276.0925 www.ironagegrates.com	Material: Grey Iron CL 35 or better	Weight: 153.53 lbs.	Free Drain Area: 107.85 in/sq. or 8.54 %	By: MS Checked: MS	Date: 2-21-23
	Finish: Raw	Edge: 1.250"	Flow Rate: 141.28 GPM	© Registration: VA 2-112-772 Scale: NTS	
	Fits: Iron Age Custom Frame SOLD SEPARATELY	Product ID: OX72-72I99TGHP	Drawing Name: 01_OBL_I_72x72HP_TreeGrate		


Page 2

TOP VIEW
scale 1:12




CASTING-ID
scale 1:2

SIDE VIEW
scale 1:12



ISO-VIEW
scale 1:12



NOTES:

1. Heelproof: No thru openings greater than 1/4".
2. Due to casting inconsistencies, all dimensions are nominal.
3. Pedestrian Load Only.


Made in USA

©2023 Iron Age Designs

Oblio 12"x 48" Mitred Extension Panel - Heel Proof - Left Panel


 IRON AGE DESIGNS Telephone 206.276.0925 www.ironagegrates.com	Material: Ductil Iron 65-45-12 or better	Weight: 65.27 lbs.	Free Drain Area: 31.01 in/sq. or 6.18 %	By: RJ	Checked: MS	Date: 6-3-25
	Finish: Raw	Edge: 1.250"	Flow Rate: 40.63 GPM	© Registration: Pending		Scale: NTS
	Fits: Iron Age Custom Frame SOLD SEPARATELY	Product ID: OX12-48I99HPML	Drawing Name: 01_OBL_I_12x48HP_L_TreeGrate_ExtensionPanel			

TOP VIEW
scale 1:12



CASTING-ID
scale 1:2

SIDE VIEW
scale 1:12



ISO-VIEW
scale 1:12



NOTES:

1. Heelproof: No thru openings greater than 1/4".
2. Due to casting inconsistencies, all dimensions are nominal.
3. Pedestrian Load Only.

Made in USA

©2023 Iron Age Designs

Oblio 12"x 48" Mitred Extension Panel - Heel Proof - Right Panel

 IRON AGE DESIGNS Telephone 206.276.0925 www.ironagegrates.com	Material: Ductil Iron 65-45-12 or better	Weight: 66.74 lbs.	Free Drain Area: 27.75 in/sq. or 5.53 %	By: RJ	Checked: MS	Date: 6-3-25
	Finish: Raw	Edge: 1.250"	Flow Rate: 36.63 GPM	© Registration: Pending		Scale: NTS
	Fits: Iron Age Custom Frame SOLD SEPARATELY	Product ID: OX12-48I99HPMR	Drawing Name: 01_OBL_I_12x48HP_R_TreeGrate_ExtensionPanel			