








Iron Age Designs is your source for decorative drain grates, tree grates, and site furnishings.



We also partner with architects, designers, engineers, and municipalities to create beautiful custom castings in iron, bronze, and aluminum.




Get informed and inspired. Visit us at IRONAGEGRATES.COM



TRENCH GRATES

Many of our trench grates are engineered to fit the most widely used drain bodies on the market today. The “Filter Products” section of our website allows you to easily find the grate you need by selecting the manufacturer and drain body being used (or vice versa). Take our AIA CES™ and LA CES™ approved CE course, “Digging Into Trench” to learn more about various drain types, their typical components/materials, and how to select the right system for your project goals. (1.5 LU/PDH, HSW)



ACANTHUS

9" | Cast Iron | Baked-On-Oil Finish



ANISE

5" Heel-Proof | Cast Iron | Baked-On-Oil Finish



ARGO

5" Heel Proof | Cast Iron | Raw



CARBOCHON

5" | Cast Iron | Baked-On-Oil Finish



DYNAMO

5" | Cast Iron | Raw



EXPLORA

12" Heel Proof | Cast Iron | Powder Coat Finish



FLOWER GRID

9" | Cast Iron | Raw



GREEK KEY

5" | Cast Bronze | Raw




GRID

8" | Cast Iron | Raw



GROUND SWELL

18" Heel Proof, Heavy Duty | Cast Iron | Raw




JANIS

5" | Cast Iron | Raw



KURF

5" Heel Proof | Cast Iron | Baked-On-Oil Finish



LOCUST

5" | Cast Bronze | Raw



MADRAS

5" Heel Proof | Cast Iron | Baked-On-Oil Finish



MINNIONE

3" | Cast Iron | Baked-On-Oil Finish



MISSION BAY

12" Heel Proof | Cast Bronze | Raw



NIKO

5" | Cast Iron | Baked-On-Oil Finish



OBLIO

5" | Cast Iron | Raw



PARADISE

5" | Cast Iron | Raw



PLEX

5" | Cast Iron | Baked-On-Oil Finish



QUE

8" | Cast Bronze | Raw



RAIN

6" Heel Proof | Cast Aluminum | Raw



REGULAR JOE

12" | Cast Aluminum | Raw



RIVER ROCK

5" | Cast Iron | Baked-On-Oil Finish

INTERLAKEN

Product: 5" Trench Grate
Material/Finish: Cast Iron/Raw
Design: BKV Group
Project: Pillsbury A-Mill Artist Lofts
Location: Minneapolis, MN

All trench grates are ADA compliant, with a max. opening of 1/2". "Heel Proof" = max. opening of 1/4"

VISIT [IRONAGEGRATES.COM](https://ironagegrates.com) FOR MORE INFORMATION ABOUT OUR FREE CE COURSES, AS WELL AS ADDITIONAL GRATE PATTERNS, SIZES AND SPECIFICATIONS


RADIUS GRATES

Iron Age can create custom trench grates in any design, on any radius you specify. Visit the “Radius Considerations” section of our website to see if we already have an existing pattern that will work for you. If not, contact us and we will provide a quote for new custom grates in your specified width, radius, and arc length.



CURB INLET SYSTEM

Bioswales/rain gardens have become an increasingly popular way to mitigate impacts on water quality and ecosystems. To make it easier to include this category of green infrastructure in your hardscape planning, we designed a turnkey Curb Inlet System that’s easy to install, with short lead times.



18" Wide, Solid | Cast Iron | Baked-On-Oil Finish



18" Wide, Heel Proof | Cast Iron | Baked-On-Oil Finish

Over 100 existing patterns are available in a variety of material and finish options.

VISIT [IRONAGEGRATES.COM](https://ironagegrates.com) FOR ADDITIONAL PATTERNS, SIZES AND SPECIFICATIONS



CATCH BASIN GRATES

Our catch basin grates are engineered to fit the most widely used drain bodies on the market today. Visit the “Filter Products” section of our website and select your chosen manufacturer/drain body to find out which grates will work for your project. Don’t see exactly what you are looking for? Contact us at estimating@ironagegrates.com for a custom quote. Raw cast iron is our standard material, but bronze and aluminum can also be specified, along with a variety of finishes.



ANISE

4" Dia. | Cast Bronze | Raw



ARGO

36" Sq. Heel Proof | Cast Iron | Raw




BULLSEYE

6" Dia. Heel Proof | Cast Iron | Baked-On-Oil Finish



DIVISADERO

24" Sq. Heel Proof | Cast Iron | Baked-On-Oil Finish



EXPLORA

36" Sq. Heel Proof | Cast Iron | Baked-On-Oil Finish




GROUND SWELL

18" x 25" Heel Proof, Heavy Duty | Cast Iron | Raw



JANIS

24" Sq. | Cast Iron | Baked-On-Oil Finish



KELP

24" x 48" | Cast Iron | Baked-On-Oil Finish



LOCUST

12" Sq. | Cast Iron | Raw



MINNIONE

26" x 36" | Cast Iron | Baked-On-Oil Finish



MISO

12" Dia. | Cast Aluminum | Raw



MOON FACE

45" Dia. | Cast Bronze | Raw



OBLIO

18" x 24" | Cast Iron | Baked-On-Oil Finish



RAIN

30" Sq. Heel Proof | Cast Iron | Powder Coat Finish



REGULAR JOE

24" Sq. Heel Proof | Cast Iron | Raw



SONOMA

30" Dia. | Cast Aluminum | Anodized



SUN

12" Sq. | Cast Iron | Raw



TULIE

24" Dia. | Cast Iron | Baked-On-Oil Finish

INTERLAKEN

Product: 24" Sq. Catch Basin Grate
Material/Finish: Cast Iron/Baked-On-Oil
Design: Gensler / Los Angeles
Project: Paseo Nuevo
Location: Santa Barbara, CA

All catch basin grates are ADA compliant, with a max. opening of 1/2". "Heel Proof" = 1/4"

VISIT IRONAGEGRATES.COM FOR ADDITIONAL PATTERNS, SIZES AND SPECIFICATIONS

Tree grates play a critical role in the preservation and health of urban trees, while simultaneously extending the ADA-compliant pedestrian surface. Tree pits protected from soil compaction also have notably higher storm-water infiltration capacity. In addition to these benefits, Iron Age’s designer-quality tree grates help add a distinct sense of place to any streetscape, and are available in a wide variety of styles, materials, and finishes.

TREE GRATES



ARGO
4' Sq. Heel Proof | Cast Iron | Baked-On-Oil Finish



ARIZONA
4' x 6' Heel Proof | Cast Iron | Raw



CARBOCHON
3' x 8' | Cast Iron | Raw



CORONA
4' Sq. Heel Proof | Cast Iron | Raw



DIVISADERO
5' Dia. | Cast Iron | Baked-On-Oil Finish



EXPLORA
6' Sq. Arrayed with 3' Sq. Panels | Cast Iron | Baked-On-Oil Finish



INTERLAKEN
4' x 6' Heel Proof | Cast Iron | Raw



JANIS
3' x 6' Arrayed with 3' Sq. Panels | Cast Iron | Raw



KELP
4' Sq. | Cast Iron | Baked-On-Oil Finish



LOCUST
4' x 6' | Cast Iron | Baked-On-Oil Finish



MADRAS
4' Sq. Heel Proof | Cast Iron | Baked-On-Oil Finish



MERCADO
5' x 8' | Cast Iron | Powder Coat Finish



MINNIONE
4' Sq. | Cast Iron | Baked-On-Oil Finish



OBLIO
6' Sq. Heel Proof | Cast Iron | Powder Coat Finish



RAIN
4' Sq. Heel Proof | Cast Iron | Raw



ROSA
4' Dia. | Cast Iron | Baked-On-Oil Finish



SONOMA
3' Sq. | Cast Iron | Powder Coat Finish



SPIN
4' Sq. Heel Proof | Cast Iron | Powder Coat Finish



DIVISADERO
Product: 6' Sq. Heel Proof Tree Grate
Material/Finish: Cast Iron/Baked-On-Oil
Design: Hoerr Schaudt
Project: River Oaks District
Location: Houston, TX

PLANTER FENCES

Iron Age’s artfully designed planter fences / tree guards are a versatile choice for protecting planting areas and preserving the health of urban trees. Available in two styles—a modular “panel” design for a more decorative aesthetic, and a “post” design with adjustable length steel bar for dimensional flexibility.



BELLE
Material/Finish: Cast Iron/Powder Coat
Design: HBB Seattle
Project: Bothell Multiway
Location: Bothell, WA



FOUNTAIN
20" High | Cast Iron | Powder Coat Finish



INTERLAKEN
20" High | Cast Iron | Powder Coat Finish



METRO
20" High | Cast Iron | Powder Coat Finish



NEWELL
18" High | Cast Iron Posts, Steel Bar | Powder Coat Finish



PROTO
18" High | Cast Iron Posts, Steel Bar | Powder Coat Finish



SF HAIGHT
21" High | Cast Iron | Powder Coat Finish

BOLLARDS

Bollards are needed to control foot/car traffic and to protect people and structures from harm. But that doesn’t mean they have to be boring. Take your hardscape designs up a notch with Iron Age’s uniquely decorative, yet durable bollards. Available in embed, surface mount, and removable/lockable options.




MAIN STREET
Material/Finish: Cast Aluminum/Powder Coat
Design: Cascade Design Collaborative
Project: Bothell Main Street
Location: Bothell, WA



FRANK
39" High | Cast Aluminum | Raw (shown prior to powder coating)



NEEDLE
34" High | Cast Aluminum | Powder Coat Finish



SPAK
36" High | Cast Iron | Powder Coat Finish



TAK ROUND
39" High | Cast Aluminum | Powder Coat Finish



TAK SQUARE
39" High | Cast Aluminum | Powder Coat Finish



TORNADO
39" High | Cast Aluminum | Powder Coat Finish

Available with a variety of mounting and finish options. Priced in 12" increments.

VISIT [IRONAGEGRATES.COM](https://ironagegrates.com) FOR ADDITIONAL PATTERNS, SIZES AND SPECIFICATIONS

PLANTER BOX SYSTEM


Our modular planter box system can be combined in a variety of configurations and is easy to transport and assemble on site. We offer a standard selection of panels, but can also create a custom pattern (including on a radius) to complement your project design.

BENCHES/ SEATING

Iron Age benches and seating options offer more than just a place to rest and recharge. They also feature the elevated aesthetic, artistic detail, and sustainable durability all our designs are known for. Choose from a variety of finishes and style customizations, or partner with us to create something completely unique.



CUSTOM DESIGN
Product: Greek Key Radius Panels
Material/Finish: Cast Iron/Powder Coat
Design: J2 Engineering & Environmental Design
Project: USS Arizona Memorial Gardens
Location: Scottsdale, AZ



RAIN

18" High | Cast Iron | Powder Coat Finish



DIVISADERO

18" High | Cast Iron | Baked-On-Oil Finish



PEAK

18" High | Cast Iron | Powder Coat Finish



TEMPE

18" High | Cast Iron | Powder Coat Finish



SWING ARM

Material/Finish: Cast Iron/Powder Coat
Seat Material: Richlite
Project: Urban Tap
Location: Pittsburgh, PA



FORMATO

17" & 19" High | Mild Steel | Powder Coat Finish



MENSCH

6' Long | Cast Iron | Powder Coat Finish



MERCER

6' Long | Cast Aluminum | Powder Coat Finish | IPE Slats



OZIO

6' Long | Cast Aluminum | Powder Coat Finish | IPE Slats



XANTHO

6' Long | Laser Cut Steel | Powder Coat Finish | IPE Slats

System can be installed on flat surfaces or a slope. Specify cast aluminum panels if weight is a concern. Seating and lighting options are also available.

VISIT [IRONAGEGRATES.COM](https://ironagegrates.com) FOR ADDITIONAL SEATING OPTIONS AND DETAILED SPECIFICATIONS

SPECIFICATIONS

Drawings & CSI 3-Part Specs

Download PDF spec sheets and select product CAD drawings from our website, IRONAGEGRATES.COM and from CADdetails.com. CSI 3-Part Specs are also available to download from our website as either a Word Doc or PDF.

Sizes

Due to variations in the properties of different metals, dimensions may vary slightly from casting to casting. All dimensions are nominal.

Standard Material & Finish

Raw, Cast Grey Iron per ASTM A48 CL 30 or better. In its raw state, grey iron is extremely durable and low maintenance.

Optional Materials

- *Cast Ductile Iron*—More pliant, less brittle, and with a higher strength-to-weight ratio than grey iron.
- *Cast Silicon Bronze*—Very strong and durable, the preferred choice for use near salt water or fountains; does not rust.
- *Cast Aluminum* per ASTM B26—Choose if the look of stainless steel or a lighter weight casting is desired; weathers to a dull pewter.

Optional Finishes

- *Powder Coat*—For GROUND plane installation, stick with raw metal. Powder coating is not recommended because pedestrian or vehicular traffic will eventually cause the finish to fail. Powder coat can also lessen the slip resistance of the casting, possibly affecting ADA compliance. For VERTICAL plane installation, powder coat or galvanize to prevent bleed.
- *Baked-On-Oil*—We generally recommend letting our grates age naturally, but for those who wish to bypass the orange oxidation phase of raw iron, we offer an eco-friendly finish using recycled cooking oil. Its primary purpose is as an aesthetic treatment to mimic an aged, raw iron product. As this natural finish wears off, it provides a smooth transition from installation to final patina.

ADA Compliance & Heel Proof Designation

All of our grates are ADA compliant, meaning each casting shall have holes no greater than 1/2" in the dominant direction of travel, no vertical rise greater than 1/4", and a coefficient of friction at .6 or better in wet or dry conditions. A "heel proof" design is ADA compliant, but requires a smaller maximum opening of only 1/4".

Recycled Content

Our cast metal products contain a minimum of 80% recycled materials and are all 100% recyclable.

Made In The USA

Iron Age proudly designs and manufactures 100% of our products in the United States.



EMAIL: info@ironagegrates.com

PHONE: 877-418-3568

WEBSITE: ironagegrates.com

